condor relax.cal 1212_R

Model Code F2692

date of issue 30-08-22 revision 00 revision of 13-10-22 (the present replaces any previous versions)

Designer: centro studi interno.

Structure: pinewood, multilayer and plywood covered with polyurethane foam

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam, covered with 100% polyester padding

Back Padding: backrests and headrests in ecological polyurethane foam, covered with 100% polyester padding

Arm Interior: armrests in ecological polyurethane foam, covered with 100% polyester padding

Removability: not available

Sewing: leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfibre (or fabric) coverings.

Mechanisms: recliner versions equipped with electrically liftable headrests and electrically powered recliner mechanisms, with a sequential movement operated by a touch-pad positioned on the side of seat cushions. Manually liftable headrests on recliner versions with manual headrests and on fixed (non-reclining) versions. The depth of the model with open recliner is 150 cm. The height of the model with lift-up headrests is 88 cm.

Standard feet: the model is lifted 12 cm off the floor. Standard metal feet with Graubraun finish. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

Density of seat and back kg/cbm (±5%) (1)

| Markets | Seat | Back |
|------------------------------|-------------------------------------|--------------------------------|
| 1 | 35 Medium | 28 |
| D - NL - CH | 35 hard | 30 hard |
| USA - California | | |
| GB | 37 fire retardant | 31 fire retardant |
| Others | 35 Medium | 28 |
| Note: when no values/content | ts are specified in the chart pleas | e refer to 'Others' field/area |

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to took at the SAFETV INFORMATION TECHNUDUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

| | suggested | not suggested | not possible |
|-----------------------|-----------|---------------|--------------|
| thick leathers | ✓ | | |
| thin elastic leathers | ✓ | | |
| natural leathers | ✓ | | |
| fabric* | ✓ | | |
| microfibre* | ✓ | | |
| leather + split | ✓ | | |
| DeLuxe | | | ✓ |
| multi colour** | | | ~ |
| multi-category** | | | ~ |
| multi covering** | | | ✓ |

* fabrics and microfibers are not available for the U.K. market

Components / Optional vers.



Feet



| FINI2200 | |
|----------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg ($\tilde{2}x100$ kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.



fold following the dotted line



condor relax.cal 1212_R



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

version code

Description



\clubsuit fold following the dotted line \clubsuit
