oscar_2.premium 1223_2

Model Code F5670

date of issue 16-03-23 revision 00

revision of 11-02-25 (the present replaces any previous versions)

Designer: centro studi interno

Structure: beechwood, pinewood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing

Seat Padding: in ecological polyurethane foam, covered with 100% polyester padding, additionally wrapped with thermo-bonded textile fabric coupled with cloth.

Back Padding: in ecological polyurethane foam, covered with 100% polyester padding, additionally wrapped with thermo-bonded textile fabric coupled with cloth.

Arm Interior: in ecological polyurethane foam, covered with 100% polyester padding, additionally wrapped with thermo-bonded textile fabric coupled with cloth.

Removability: partially removable covers: covers on seat cushions, back cushions and armrests are removable

Mechanisms: recliner versions available with electric metal mechanism operated by a touch button positioned on seat cushion sides. The maximum depth of the open recliner is 158 cm.

Standard feet: matt black painted metal PM2275, h.12 cm. Alternatively, it is possible to choose among the standard or "special" finishes enclosed in the sample book. Some versions may be equipped with hidden feet with a supporting structural function.





Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back		
1	35 Medium HR	24 HR		
D - NL - CH	35 hard HR	28 hard HR		
USA - California	35 soft HR	24 soft HR		
GB	37 fire retardant	31 fire retardant		
Others				

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 846 regulations. Indicated values refer to production averages, the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE from regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings			
	suggested	not suggested	not possible
thick leathers			1
thin elastic leathers			1
natural leathers			1
fabric*	✓		
microfibre*	√		
leather + split			1
DeLuxe*			~
multi colour**			~
multi-category**			1
multi covering**			~

Please note: for not removable models, only one colour fabric covers are available

* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market.



Feet



PM2275



We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.

Ottoman





oscar_2. premium 1223_2



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line

oscar_2. premium 1223_2



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line
